



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/003,800	10/23/2001	Andrew R. Ferlitsch	SAL 1028	4802
52894	7590	12/13/2005	EXAMINER	
KRIEGER INTELLECTUAL PROPERTY, INC. P.O. BOX 1073 CAMAS, WA 98607			LAM, ANDREW H	
			ART UNIT	PAPER NUMBER
			2624	

DATE MAILED: 12/13/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/003,800

Applicant(s)

FERLITSCH, ANDREW R.

Examiner

Andrew H. Lam

Art Unit

2624

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 September 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-17 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-17 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

DOUGLAS Q. TRAN
PRIMARY EXAMINER

Tran

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.

- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

- This action is responsive to the following communication: an Amendment filed on 09/19/05.
- Claims 1-17 are pending in the present application.
- The examiner has considered the amended abstract.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-10, and 12-17 rejected under 35 U.S.C. 102(e) as being anticipated by Yacoub (U.S. 6452692).

Regarding claim 1, Yacoub discloses a method for recovering a failed print task comprising: monitoring a print system for a print task failure (col. 7, lines 55-57, in fig. 3 at step 370, the server is continuously checking for a print error message from the printer); saving a failed print task when a print task failure occurs (col. 8, lines 2-4, the server select a different printer when an error is occurred, then the job is spooled to the selected printer); monitoring said print system for a successful print task (col. 10, lines 24-26, the server 460 query the database and re-compute to determine the next available printer, see fig. 4); resending said saved, failed print task to a printer to which said successful print task was sent (col. 7, lines 44-46, once the appropriate printer is

Art Unit: 2624

determined, the print job is sent and spooled to that printer (step 350) from the server, see fig. 3).

Regarding claim 2, Yacoub discloses the method of claim 1 wherein said monitoring for a print task failure (col. 7, lines 55-57, in fig. 3 at step 370, the server is continuously checking for a print error message from the printer), said saving (col. 8, lines 2-4, the server select a different printer when an error is occurred, then the job is spooled to the selected printer), said monitoring for a successful print task (col. 10, lines 24-26, the server 460 query the database and re-compute to determine the next available printer, see fig. 4) and said resending are controlled by a print system component (fig. 5, server 680).

Regarding claim 3, Yacoub discloses the method of claim 2 wherein said print system component is a print processor (fig. 5, server 680).

Regarding claim 4, Yacoub discloses the method of claim 2 wherein said print system component is a spooler (col. 7, line 31, job is spooled to the server 330, see fig. 3).

Regarding claim 5, Yacoub discloses the method of claim 1 wherein said resending only occurs when said printer to which said successful print task was sent is the same printer as the one to which the failed print task was sent (col. 15, lines 27-30, if the user wants to wait, then the printer will send an acknowledgment message when the printer is not busy or when it is ready).

Regarding claim 6, Yacoub discloses the method of claim 1 further comprising determining the characteristics of said successful print task and said failed print task

Art Unit: 2624

and comparing said successful print task characteristics to said failed print task characteristics to determine the availability of a compatible printer (col. 7, lines 60-61, the server reuses the same preferences that the user selected initially for the print job so the server can resend the failed job to the appropriate printer) for said failed print task and wherein said resending only occurs when said printer is compatible with said failed print task.

Regarding claim 7, Yacoub discloses a method for recovering a failed print task comprising: monitoring a print system for a print task failure (col. 7, lines 55-57, in fig. 3 at step 370, the server is continuously checking for a print error message from the printer); saving a failed print task when a print task failure occurs (col. 8, lines 2-4, the server select a different printer when an error is occurred, then the job is spooled to the selected printer); monitoring said print system for a successful print task (col. 10, lines 24-26, the server 460 query the database and re-compute to determine the next available printer, see fig. 4); analyzing said successful print task characteristics to determine the capability (col. 7, lines 60-61, the server reuses the same preferences that the user selected initially for the print job so the server can resend the failed job to the appropriate printer) of the printer to which said successful print task was sent; evaluating said printer's capability to determine whether said printer can print said failed print task; resending said saved, failed print task to said printer if said printer is capable of printing said failed print task.

Regarding claim 8, Yacoub discloses the method of claim 7 wherein said evaluating comprises comparing the characteristics of said successful print task to the

Art Unit: 2624

characteristics of said failed print task (col. 10, lines 21-35, if a high end laser printer has an error then the error message is sent to the server and server recalculate to determine the next compatible (color or black and white) printer that is does not have an error).

Regarding claim 9, Yacoub discloses the method of claim 7 wherein said evaluating comprises comparing the capability (col. 10, lines 21-35, if a high end laser printer has an error then the error message is sent to the server and server recalculate to determine the next compatible (color or black and white) printer that is does not have an error, the job is spooled to the low-end laser printer since it is compatible) of said printer to the requirements of said failed print task.

Regarding claim 10, Yacoub discloses the method of claim 7 wherein said evaluating comprises determining the location (col. 11, lines 8-35, the server store/generate a coordinate map list of the physical locations of all printers so that when an error occurs for the printer that is processing the print job the server then compares printers that are compatible to the failed print job. The server then selects one of the compatible printers that is the closest in physical location to the client station) of said printer from said successful print task data and querying said printer for its capabilities and comparing said printer capabilities with the requirements of said failed print task.

Regarding claim 12, Yacoub discloses a method for recovering a failed print task comprising: monitoring a print system for a print task failure (col. 7, lines 55-57, in fig. 3 at step 370, the server is continuously checking for a print error message from the printer); saving said failed print task occurs (col. 8, lines 2-4, the server select a different

Art Unit: 2624

printer when an error is occurred, then the job is spooled to the selected printer); monitoring said print system for a successful print task (col. 10, lines 24-26, the server 460 query the database and re-compute to determine the next available printer, see fig. 4); analyzing said successful print task characteristics to determine the capability of the printer to which said successful print task was sent (col. 10, lines 21-35, if a high end laser printer has an error then the error message is sent to the server and server recalculate to determine the next compatible (color or black and white) printer that is does not have an error); evaluating said printer's capability to determine whether said printer can print said failed print task (col. 7, lines 60-61, the server reuses the same preferences that the user selected initially for the print job so the server can resend the failed job to the appropriate printer); modifying said failed print task to allow printing on said printer when said print task can not otherwise be printed on said printer (col. 10, lines 21-33, since quality is not a preference of the user and black and white printing is assumed the server modify the preference of the user to use another printer which is the next appropriate printer); and sending said modified, failed print task to said printer (col. 10, lines 34-35, print job is spooled to the low-end laser printer).

Regarding claim 13, Yacoub discloses the method of claim 12 wherein said modifying comprises emulating at least one element of (col. 12, lines 32-35, the server matches the print job with the user preferences profiles or computes a ranking of printer according to it capabilities) said print task in software that would otherwise have been performed by printer hardware.

Regarding claim 14, Yacoub discloses the method of claim 12 wherein said modifying comprises emulating page formatting in software (fig. 3, step 350, the print job is spooled to the appropriate printer--examiner interpret spooled data to be in page format to be printed by printer).

Regarding claim 15, Yacoub discloses a system (fig. 3, shows a system for recovering a failed print job) for recovering a failed print task comprising: a first monitor for monitoring a print system for a print task failure (fig. 3, step 370, system is monitoring print system for print error); storage for saving a failed print task when a print task failure occurs (fig. 3, step 350, print job is spooled to the appropriate printer); a second monitor for monitoring said print system for a successful print task (col. 10, lines 24-26, the server 460 query the database and re-compute to determine the next available printer); an analyzer (software is doing the analyzing) for analyzing said successful print task characteristics to determine the capability (col. 7, lines 60-61, the server reuses the same preferences that the user selected initially for the print job so the server can resend the failed job to the appropriate printer) of the printer to which said successful print task was sent; an evaluator for evaluating (software is doing evaluating) said printer's capability to determine whether said printer can print said failed print task (col. 11, lines 8-35, the server store/generate a coordinate map list of the physical locations of all printers so that when an error occur for one printer it compare the next printer that is compatible to the print job and the closes to the user); a sender for resending said saved, failed print task to said printer if said printer is capable of printing said failed print task (col. 10, lines 21-35, if a high end laser printer has an

Art Unit: 2624

error then the error message is sent to the server and server recalculate to determine the next compatible (color or black and white) printer that is does not have an error, the job is spooled to the low-end laser printer since it is compatible).

Regarding claim 16, Yacoub discloses a computer readable medium comprising instructions for performing functions within a print system component, said instructions (col. 13, lines 35-40, CPU 720 is capable of executing and issuing instructions, performing computations and processing data, see fig. 6) comprising the acts of: monitoring a print system for a print task failure (col. 7, lines 55-57, in fig. 3 at step 370, the server is continuously checking for a print error message from the printer) ; saving a failed print task when a print task failure occurs (col. 8, lines 2-4, the server select a different printer when an error is occurred, then the job is spooled to the selected printer); monitoring said print system for a successful print task (col. 10, lines 24-26, the server 460 query the database and re-compute to determine the next available printer, see fig. 4); analyzing said successful print task characteristics to determine the capability of the printer to which said successful print task was sent (col. 10, lines 21-35, if a high end laser printer has an error then the error message is sent to the server and server recalculate to determine the next compatible (color or black and white) printer that is does not have an error, the job is spooled to the low-end laser printer since it is compatible); evaluating said printer's capability to determine whether said printer can print said failed print task; resending said saved, failed print task to said printer if said printer is capable of printing said failed print task (col. 10, lines 21-35, if a high end laser printer has an error then the error message is sent to the server and server recalculate

Art Unit: 2624

to determine the next compatible (color or black and white) printer that is does not have an error, the job is spooled to the low-end laser printer since it is compatible).

Regarding claim 17, Yacoub discloses a computer data signal embodied in an electronic transmission, said signal having the function of recovering failed print tasks, said signal comprising instructions for: monitoring a print system for a print task failure (col. 7, lines 55-57, in fig. 3 at step 370, the server is continuously checking for a print error message from the printer); saving a failed print task when a print task failure occurs (col. 8, lines 2-4, the server select a different printer when an error is occurred, then the job is spooled to the selected printer); monitoring said print system for a successful print task (col. 10, lines 24-26, the server 460 query the database and re-compute to determine the next available printer, see fig. 4); analyzing said successful print task characteristics to determine the capability of the printer to which said successful print task was sent (col. 10, lines 21-35, if a high end laser printer has an error then the error message is sent to the server and server recalculate to determine the next compatible (color or black and white) printer that is does not have an error, the job is spooled to the low-end laser printer since it is compatible); evaluating said printer's capability to determine whether said printer can print said failed print task; resending said saved, failed print task to said printer if said printer is capable of printing said failed print task (col. 10, lines 21-35, if a high end laser printer has an error then the error message is sent to the server and server recalculate to determine the next compatible (color or black and white) printer that is does not have an error, the job is spooled to the low-end laser printer since it is compatible).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Yacoub in view of Shah et al (U.S. 6618167).

Regarding claim 11, Yacoub disclose a method for recovering a failed print task comprising: monitoring a print system for a print task failure (col. 7, lines 55-57, in fig. 3 at step 370, the server is continuously checking for a print error message from the printer); saving said failed print task occurs (col. 8, lines 2-4, the server select a different printer when an error is occurred, then the job is spooled to the selected printer); monitoring said print system for a successful print task (col. 10, lines 24-26, the server 460 query the database and re-compute to determine the next available printer, see fig. 4); analyzing said successful print task characteristics to determine the capability of the printer to which said successful print task was sent (col. 10, lines 21-35, if a high end laser printer has an error then the error message is sent to the server and server recalculate to determine the next compatible (color or black and white) printer that is does not have an error); evaluating said printer's capability to determine whether said printer can print said failed print task (col. 7, lines 60-61, the server reuses the same preferences that the user selected initially for the print job so the server can resend the failed job to the appropriate printer); modifying said failed print task to allow printing on

Art Unit: 2624

said printer when said print task can not otherwise be printed on said printer (col. 10, lines 21-33, since quality is not a preference of the user and black and white printing is assumed the server modify the preference of the user to use another printer which is the next appropriate printer); and sending said modified, failed print task to said printer (col. 10, lines 34-35, print job is spooled to the low-end laser printer).

Yacoub does not disclose expressly that the user is prompt to prioritize a failed print task when a print task failure occurs; saving said failed print task when its priority is sufficiently high.

Shah discloses that a customer can prioritize print job (col. 2, lines 32-35).

It would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify Yacoub as per teaching of Shah because of the following reason: by prioritizing print job it insure that the job with the highest priority (most important print job) get printed first (col. 3, lines 55-56).

Response to Arguments

Applicant's arguments on pages 9-12, filed 9/19/05, with respect to the rejection(s) of claim(s) 1-17 under 102(e) have been fully considered and are not persuasive.

Regarding the 35 U.S.C. 101 rejection of claim 17, the rejection has been withdrawn in view of applicant's arguments following the Interim Guidelines for Examination of Patent Applications for Patent Subject Matter Eligibility, from October 26, 2005. Claim 17 is statutory under 35 U.S.C. 101 because a computer data signal is man-made, is considered functionally descriptive material, and is embodied in an

“electronic transmission” that facilitates the functionality of the functionally descriptive material.

Regarding claim 1, the applicant argued the cited prior art (U.S. 6,452,692, Yacoub) fails to teach and/or suggest “monitoring for a successful print task”.

In response to applicant's argument Yacoub discloses (col. 5, lines 29-33) in the case of a printer error, if either the highest quality printer or the fastest printer returns some error code, then the server will find an available printer which is not busy and which does not return any error messages. Therefore, the server is constantly checking all the printers within the system to see if it is available i.e. the printers can print and have no error for the print tasks submitted (monitoring for a successful print task).

Regarding claim 11, the applicant argued the cited prior art (U.S. 6,452,692, Yacoub) fails to teach and/or suggest “monitoring for a successful print task”.

In response to applicant's argument Yacoub discloses (col. 5, lines 29-33) in the case of a printer error, if either the highest quality printer or the fastest printer returns some error code, then the server will find an available printer which is not busy and which does not return any error messages. Therefore, the server is constantly checking all the printers within the system to see if it is available i.e. the printers can print and have no error for the print tasks submitted (monitoring for a successful print task).

In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the

Art Unit: 2624

references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992).

In this case, Shah teaches that a customer can prioritize print job (col. 2, lines 32-35). The Shah reference cited is to show that prioritizing print job in the queue is well known in the art and that it would have been obvious to one of ordinary skill in the art at the time of the invention was made to prioritizing print job so that the job with the highest priority (most important print job) get printed first (col. 3, lines 55-56).

Contact Information

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew H. Lam whose telephone number is (571) 272-8569. The examiner can normally be reached on M-F (9:30-6:00).

Art Unit: 2624

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David K. Moore can be reached on (571) 272-7437. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Andrew Lee



12/2/05

DOUGLAS Q. TRAN
PRIMARY EXAMINER

